


Industrial Fan

Professional HVAC Fan & Motors Manufacturer



Type Code

LW IF - 500 S - 01



Industrial Fan




- 100% pure copper wire motor with fuse
- 2 pieces aluminum fan blades
- 1.8~2.0mm thickness wire grill cage with clips
- Painted black or silver grill cage, or shining chromed color
- 3 speeds adjustable
- Oscillating or fixed direction optional

Technical Parameters

Model	Size (mm)	Size (inch)	Voltage (inch)	Frequency (Hz)	Power (w)	Volume (m³/min)	Speed (RPM)	Noise dB(A)
LWIF-500U(S)-01	500	20	110~120 220~240	50/60	130	150	1380	58
LWIF-600U(S)-01	600	24		50/60	215	195	1380	60
LWIF-650U(S)-01	650	26		50/60	230	205	1380	61
LWIF-750U(S)-01	750	30		50/60	260	290	1380	65

Industrial Fan



- 100% pure copper wire motor with fuse
- 3 pieces aluminum fan blades
- 1.8~2.0mm thickness wire grill cage with clips
- Painted black or silver grill cage, or shining chromed color
- 3 speeds adjustable
- Oscillating or fixed direction optional

Technical Parameters

Model	Size (mm)	Size (inch)	Voltage (inch)	Frequency (Hz)	Power (w)	Volume (m³/min)	Speed (RPM)	Noise dB(A)
LWIF-450U(S)-01	450	18	110~120 220~240	50/60	110	130	1380	55
LWIF-500U(S)-02	500	20		50/60	130	150	1380	58
LWIF-600U(S)-02	600	24		50/60	215	195	1380	60
LWIF-650U(S)-02	650	26		50/60	230	205	1380	61
LWIF-750U(S)-02	750	30		50/60	260	290	1380	65
LWIF-850U(S)-01	850	34		50/60	290	320	1380	68

Industrial Tripod Stand Fan



- 100% pure copper wire motor with fuse
- 2 or 3 pieces aluminum fan blades
- Full metal tripod, easy moving and more stable
- 3 speeds adjustable
- Oscillating or fixed direction optional



Technical Parameters

Model	Size (mm)	Size (inch)	Voltage (inch)	Frequency (Hz)	Power (w)	Volume (m ³ /min)	Speed (RPM)	Noise dB(A)
LWIF-450U(S)-02	450	18	110~120 220~240	50/60	110	130	1380	55
LWIF-500U(S)-03	500	20		50/60	130	150	1380	58
LWIF-600U(S)-03	600	24		50/60	215	195	1380	60
LWIF-650U(S)-03	650	26		50/60	230	205	1380	61
LWIF-750U(S)-03	750	30		50/60	260	290	1380	65
LWIF-850U(S)-02	850	34		50/60	290	320	1380	68

Industrial Mist Fan



- 100% pure copper wire motor
- 3 pieces aluminum fan blades
- 2.0mm thickness wire grill cage with clips
- Mist consumption: 0-5L/H, mist volume adjustable
- Water tank capacity 13L
- Strong wall mount bracket
- Available for connecting with running water pipe
- Water tank capacity 40L
- Detachable 4 wheels for easy movement
- Full metal strong square stand pipe with handles



Technical Parameters

Model	Size (mm)	Size (inch)	Voltage (inch)	Frequency (Hz)	Power (w)	Volume (m ³ /min)	Speed (RPM)	Noise dB(A)
LWIF-650U(S)-04	650	26	110~120 220~240	50/60	190	205	1380	61
LWIF-750U(S)-04	750	30		50/60	220	290	1380	65

3 in 1 Industrial Fan



- Copper or aluminum wire motor
- 3 pieces aluminum fan blades
- Stand fan, wall fan, floor fan 3 in 1
- 3 speeds adjustable, stable round base, adjustable height stand pipe

Technical Parameters

Model	Size (mm)	Size (inch)	Voltage (inch)	Frequency (Hz)	Power (w)	Volume (m ³ /min)	Speed (RPM)	Noise dB(A)
LWIF-450U(S)-03	450	18	110~120 220~240	50/60	55	120	1300	50

Commercial Stand And Wall Fan




- 100% pure copper wire motor with fuse, powerful with big air flow
- 3 or 5 pieces plastic (aluminum) wide fan blades (color can be customized)
- 4 speeds adjustable, plastic round base, adjustable height stand pipe
- Painted or chromed grill cage, with pull strings or switch box

Technical Parameters

Model	Size (mm)	Size (inch)	Voltage (inch)	Frequency (Hz)	Power (w)	Volume (m ³ /min)	Speed (RPM)	Noise dB(A)
LWIF-450U(S)-04	450	18	110~120 220~240	50/60	135~150	125	1380	55

Commercial Floor Fan



- 100% pure copper wire motor with fuse, powerful with big air flow
- 3 or 5 pieces plastic (aluminum) wide fan blades (color can be customized)
- 4 speeds adjustable, strong floor bracket
- Painted or chromed grill cage

Technical Parameters

Model	Size (mm)	Size (inch)	Voltage (inch)	Frequency (Hz)	Power (w)	Volume (m ³ /min)	Speed (RPM)	Noise dB(A)
LWIF-450U(S)-05	450	18	110~120 220~240	50/60	135~150	125	1380	55
LWIF-450U(S)-06	450	18		50/60	135~150	125	1380	55
LWIF-500U(S)-04	500	20		50/60	135~150	125	1380	57

Powerful Floor Fan



- 100% pure copper wire motor
- 3 pieces aluminum wide fan blades
- Painted black or shining chromed color
- 3 speeds adjustable, Oscillation up and down

Technical Parameters

Model	Size (mm)	Size (inch)	Voltage (inch)	Frequency (Hz)	Power (w)	Volume (m ³ /min)	Speed (RPM)	Noise dB(A)
LWIF-250U(S)-01	250	10	110~120 220~240	50/60	30	23	1350	42
LWIF-300U(S)-01	300	12		50/60	40	36	1350	45
LWIF-350U(S)-01	350	14		50/60	60	70	1350	50
LWIF-400U(S)-01	400	16		50/60	80	88	1350	52
LWIF-450U(S)-07	450	18		50/60	100	95	1350	55
LWIF-500U(S)-05	500	20		50/60	120	100	1350	58